

1/17




Fig. 1

2/17





Fig. 2

3/17



Radial distance




Fig. 3

4/17




Fig. 4

BEST AVAILABLE COPY

WO 2004/113979

PCT/GB2004/002625

5/17




Fig. 5

WO 2004/113979

PCT/GB2004/002625

6/17





Fig. 6

7/17




Fig. 7




Fig. 8




Fig. 9




Fig. 10

8/17




Fig. 11

Fig. 12




Fig. 13




Fig. 14

9/17




Fig. 15

Fig. 16




Fig. 17




Fig. 18

BEST AVAILABLE COPY

WO 2004/113979

PCT/GB2004/002625

10/17




Fig. 19

(4) **BEST AVAILABLE COPY**

WO 2004/113979

PCT/GB2004/002625




Fig. 20

12/17




Fig. 21

BEST AVAILABLE COPY

WO 2004/113979

PCT/GB2004/002625




Fig. 22

BEST AVAILABLE COPY

WO 2004/113979

PCT/GB2004/002625






Fig. 23c

15/17




Fig. 24


BEST AVAILABLE COPY

WO 2004/113979

PCT/GB2004/002625

16/17

Fig. 25



BEST AVAILABLE COPY

WO 2004/113979

PCT/GB2004/002625

17/17




Fig. 26